



# Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 11/30/2020

Supersedes Date: 03/14/2016

Version: 2.1

## SECTION 1: IDENTIFICATION

### Product Identifier

**Product Name:** Small arms primers and percussion caps.

**Product Code:** All Lewiston produced small arms primers including musket caps and APS strips. SDS# F4004

### Intended Use of the Product

Small arms ammunition manufacturing and reloading

### Name, Address, and Telephone of the Responsible Party

#### Company

Federal Cartridge Company d/b/a CCI/Speer

2299 Snake River Avenue

Lewiston, ID 83501

T 1-800-635-7656

### Emergency Telephone Number

**Emergency number** : 1-800-424-9300 (Inside US), 01-703-527-3887 (Outside US) - (CHEMTREC, Day or Night)

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### Classification (GHS-US)

|                   |   |               |
|-------------------|---|---------------|
| Physical Hazards: | Explosives                                      | Division 1.4S |
| Health Hazards:   | Acute Toxicity (Oral)                           | Category 4    |
|                   | Skin Sensitization                              | Category 1A   |
|                   | Carcinogenicity                                 | Category 2    |
|                   | Reproductive Toxicity                           | Category 1A   |
|                   | Specific Target Organ Toxicity, Repeat Exposure | Category 2    |

### Label Elements

#### GHS-US Labeling

#### Hazard Pictograms (GHS-US)

:



#### Signal Word (GHS-US)

: **DANGER**

#### Hazard Statements (GHS-US)

: Fire or projection hazard. Suspected of causing cancer. May damage fertility or the unborn child. Causes damage to organs (central nervous system, blood, kidney, reproductive system) through prolonged or repeated exposure.

#### Precautionary Statements (GHS-US)

##### Prevention:

Do not handle until all safety precautions have been read and understood. Keep away from heat. No smoking. Do not subject to shock. Wear eye protection. Do not breathe fumes. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

##### Response:

In case of fire: Evacuate area. Fight fire with normal precautions from a reasonable distance. If exposed, concerned or you feel unwell: Call a doctor or get medical attention.

Storage: Store in accordance with applicable fire codes. Keep only in original packaging.

Disposal: Dispose of ammunition in accordance with local regulations.

Supplemental information: The hazardous components of this product are encased and are not biologically available. Therefore, some health hazards do not apply to the overall product. Decomposition products, including lead, are released during the firing of primers. Use only outdoors or in a well-ventilated area. Do not attempt to open or dissect a primer, as it may explode causing projectiles dangerous to the eyes, skin and body. Keep in original

# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

factory packaging and trays provided ONLY – DO NOT STORE IN BULK.

### Other Hazards

**Other Hazards Not Contributing to the Classification:** THIS SDS DOES NOT COVER LOADED AMMUNITION. Lead and barium are toxic metals that may be released during the firing of primers. Care should be taken in the cleaning of range facilities to minimize the exposure potential to lead and barium. Persons engaged in these activities should wear protective clothing with an appropriate respirator. Range operators should consult OSHA 1910.1025 for details pertaining to the handling of lead in the work environment. Severe lead intoxication has been associated in the past with sterility, spontaneous abortion, and stillbirth. Exposure to lead can aggravate pre-existing anemia, cardiovascular and respiratory diseases and conditions related to the gastrointestinal, reproductive, renal (kidney), and central nervous systems.

**Accidental Injury From Fired Cartridge:** Fired ammunition can create serious injury, possibly both entrance and exit wounds. To avoid serious injury, use ammunition only in good condition and originally chambered for a particular caliber. Always keep the barrel free of any obstruction. If the gun fails to fire, a delayed firing may occur, or the gun may fire upon being opened. Keep gun muzzle pointed in a safe direction. Wait 30 seconds. Avoid exposure to breech. Carefully unload. A fired bullet has an extremely long range and can cause serious injury or death. Always be sure of the backstop, and practice safe muzzle control at all times. Avoid firing at surfaces.

**Unknown Acute Toxicity (GHS-US)** Not available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

| Name  | Product identifier  | % (w/w) |
|---|---------------------|---------|
| Copper  | (CAS No) 7440-50-8  | 54 - 86 |
| Zinc  | (CAS No) 7440-66-6  | 3 - 37  |
| Nickel**  | (CAS No) 7440-02-0  | ≤ 1     |
| Antimony Sulfide*   | (CAS No) 1345-04-6  | 0.5 – 4 |
| Barium*   | (CAS No) 7440-39-3  | 1 – 8   |
| 1,3-Benzenediol, 2,4,6-trinitro-, lead salt                                 | (CAS No) 15245-44-0 | 2 - 8   |
| Aluminum*   | (CAS No) 7429-90-5  | 0.1 - 2 |
| 1-Tetrazene-1-carboximidic acid, 4-(aminoiminomethyl)-, 2-nitrosohydrazide* | (CAS No) 109-27-3   | < 0.1   |

\*The hazardous components of this product are encased within the primer and are unlikely to be released under normal handling conditions. Therefore, the health and environmental hazards associated with certain components do not apply to the product overall.

\*\*It is suspected that nickel causes cancer and damage to the respiratory tract via inhalation. Because this product is in massive form, it is unlikely that respiration is a potential route of exposure. Therefore, the hazards usually associated with nickel do not apply to this product.

The ecotoxicological information applies to the materials encased within the product.

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Call a POISON CENTER/doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

**Ingestion:** Rinse mouth. Do not induce vomiting. Get medical advice and attention if you feel unwell.

# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **Most Important Symptoms and Effects Both Acute and Delayed**

**General:** Toxic if swallowed, in contact with skin or if inhaled. Projectiles from fired cartridges can cause puncture wounds. When cartridges are fired or otherwise discharged, dust, vapors, and/or fumes may be absorbed by the digestive system and can result in both acute and chronic overexposure. Ingestion of a complete primer can cause irritation to the digestive system, and possibly other unknown health effects.

**Inhalation:** Fatal if inhaled.

**Skin Contact:** May cause skin irritation.

**Eye Contact:** May cause eye irritation.

**Ingestion:** Toxic if swallowed.

**Chronic Symptoms:** May damage fertility. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.

### **Indication of Any Immediate Medical Attention and Special Treatment Needed**

If you feel unwell, seek medical advice (show the label where possible).

## **SECTION 5: FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

**Suitable Extinguishing Media:** DO NOT FIGHT FIRES INVOLVING EXPLOSIVES. Water may be applied through fixed extinguishing system (sprinklers) as long as people need not be present for the system to operate.

**Unsuitable Extinguishing Media:** DO NOT fight fires involving explosives.

### **Special Hazards Arising From the Substance or Mixture**

**Fire Hazard:** May ignite if heated to 250°F (121°C) causing projection of metal fragments. Mass explosion will not occur in factory packaging. LOOSE PRIMERS OUTSIDE OF FACTORY PACKAGING CAN MASS DETONATE. Hazardous chemical and toxic by-products from chemical decomposition may be formed during fire. These products vary depending on fire conditions and other combustibles present during fire. These may include smoke, carbon monoxide, carbon dioxide, oxides of nitrogen and lead fumes. Complete ventilation of structure is recommended.

**Explosion Hazard:** Explosive. Explosion risk in case of fire. Unpackaged primer detonations can propagate causing simultaneous detonation of surrounding primers resulting in a violent explosion.

**Reactivity:** May detonate with friction, impact, and heat.

### **Advice for Firefighters**

**Precautionary Measures Fire:** Do not breathe fumes from fires or vapors from decomposition.

**Firefighting Instructions:** Perform a risk assessment before engaging in offensive firefighting operations. Unless life safety risk or significant risk of property loss is present, consider taking defensive posture, protecting exposures and maintaining safe distance until material is consumed. For further information see the video "Ammunition and the Fire Fighter" by the Sporting Arms and Ammunition Manufacturers' Institute (SAAMI).

**Protection During Firefighting:** Firefighters should wear full protective gear when fighting or downwind of initial fire.

**Hazardous Combustion Products:** Metal oxides. Nitrogen oxides. Carbon oxides (CO, CO<sub>2</sub>).

### **Reference to Other Sections**

Refer to section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** Avoid skin and eye contact. Do not breathe dust or fumes. Remove ignition sources. No naked lights. No smoking. Evacuate danger area. Do not allow product to spread into the environment.

#### **For Non-Emergency Personnel**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

### **Environmental Precautions**

Avoid release to the environment.

### **Methods and Material for Containment and Cleaning Up**

**For Containment:** Contain and collect as any solid. Use only non-sparking tools.

# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Methods for Cleaning Up: DO NOT SWEEP SPILLED PRIMERS INTO A PILE.** Spray spilled primers with a water/detergent mixture. Do not allow primers to become dry. Collect in original trays or submerge in oil.

### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

**Additional Hazards When Processed: Do not breathe decomposition products.** Lead containing compounds are released during the firing of primers. Projectiles from fired cartridges can cause puncture wounds. Remove cartridges from service if any of the following conditions have occurred: corrosion, physical damage, exposure to oil or spray type lubricants.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Do not subject to mechanical shock.

**Storage Conditions: KEEP IN ORIGINAL CONTAINER.** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep in fireproof place.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.

**Storage Area:** Store locked up.

**Specific End Use(s)** Small arms primer

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Copper (7440-50-8)      |                                      |                       |
|-------------------------|--------------------------------------|-----------------------|
| USA ACGIH               | ACGIH TWA (mg/m <sup>3</sup> )       | 0.2 mg/m <sup>3</sup> |
| USA OSHA                | OSHA PEL (TWA) (mg/m <sup>3</sup> )  | 1 mg/m <sup>3</sup>   |
| USA NIOSH               | NIOSH REL (TWA) (mg/m <sup>3</sup> ) | 0.1 mg/m <sup>3</sup> |
| USA IDLH                | US IDLH (mg/m <sup>3</sup> )         | 100 mg/m <sup>3</sup> |
| Alberta                 | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>   |
| British Columbia        | OEL TWA (mg/m <sup>3</sup> )         | 0.2 mg/m <sup>3</sup> |
| Manitoba                | OEL TWA (mg/m <sup>3</sup> )         | 0.2 mg/m <sup>3</sup> |
| New Brunswick           | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>   |
| Newfoundland & Labrador | OEL TWA (mg/m <sup>3</sup> )         | 0.2 mg/m <sup>3</sup> |
| Nova Scotia             | OEL TWA (mg/m <sup>3</sup> )         | 0.2 mg/m <sup>3</sup> |
| Nunavut                 | OEL STEL (mg/m <sup>3</sup> )        | 2 mg/m <sup>3</sup>   |
| Nunavut                 | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>   |
| Northwest Territories   | OEL STEL (mg/m <sup>3</sup> )        | 2 mg/m <sup>3</sup>   |
| Northwest Territories   | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>   |
| Ontario                 | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>   |
| Prince Edward Island    | OEL TWA (mg/m <sup>3</sup> )         | 0.2 mg/m <sup>3</sup> |
| Québec                  | VEMP (mg/m <sup>3</sup> )            | 1 mg/m <sup>3</sup>   |
| Saskatchewan            | OEL STEL (mg/m <sup>3</sup> )        | 3 mg/m <sup>3</sup>   |
| Saskatchewan            | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>   |
| Yukon                   | OEL STEL (mg/m <sup>3</sup> )        | 2 mg/m <sup>3</sup>   |
| Yukon                   | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>   |
| Aluminum (7429-90-5)    |                                      |                       |
| Mexico                  | OEL TWA (mg/m <sup>3</sup> )         | 10 mg/m <sup>3</sup>  |
| USA ACGIH               | ACGIH TWA (mg/m <sup>3</sup> )       | 1 mg/m <sup>3</sup>   |
| USA OSHA                | OSHA PEL (TWA) (mg/m <sup>3</sup> )  | 5 mg/m <sup>3</sup>   |
| USA NIOSH               | NIOSH REL (TWA) (mg/m <sup>3</sup> ) | 5 mg/m <sup>3</sup>   |
| Alberta                 | OEL TWA (mg/m <sup>3</sup> )         | 10 mg/m <sup>3</sup>  |
| British Columbia        | OEL TWA (mg/m <sup>3</sup> )         | 1.0 mg/m <sup>3</sup> |
| Manitoba                | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>   |

# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                             |                                      |                        |
|-----------------------------|--------------------------------------|------------------------|
| New Brunswick               | OEL TWA (mg/m <sup>3</sup> )         | 10 mg/m <sup>3</sup>   |
| Newfoundland & Labrador     | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>    |
| Nova Scotia                 | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>    |
| Nunavut                     | OEL STEL (mg/m <sup>3</sup> )        | 20 mg/m <sup>3</sup>   |
| Nunavut                     | OEL TWA (mg/m <sup>3</sup> )         | 10 mg/m <sup>3</sup>   |
| Northwest Territories       | OEL STEL (mg/m <sup>3</sup> )        | 20 mg/m <sup>3</sup>   |
| Northwest Territories       | OEL TWA (mg/m <sup>3</sup> )         | 10 mg/m <sup>3</sup>   |
| Ontario                     | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>    |
| Prince Edward Island        | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>    |
| Québec                      | VEMP (mg/m <sup>3</sup> )            | 10 mg/m <sup>3</sup>   |
| Saskatchewan                | OEL STEL (mg/m <sup>3</sup> )        | 20 mg/m <sup>3</sup>   |
| Saskatchewan                | OEL TWA (mg/m <sup>3</sup> )         | 10 mg/m <sup>3</sup>   |
| <b>Antimony (7440-36-0)</b> |                                      |                        |
| Mexico                      | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| USA ACGIH                   | ACGIH TWA (mg/m <sup>3</sup> )       | 0.5 mg/m <sup>3</sup>  |
| USA OSHA                    | OSHA PEL (TWA) (mg/m <sup>3</sup> )  | 0.5 mg/m <sup>3</sup>  |
| USA NIOSH                   | NIOSH REL (TWA) (mg/m <sup>3</sup> ) | 0.5 mg/m <sup>3</sup>  |
| USA IDLH                    | US IDLH (mg/m <sup>3</sup> )         | 50 mg/m <sup>3</sup>   |
| Alberta                     | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| British Columbia            | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Manitoba                    | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| New Brunswick               | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Newfoundland & Labrador     | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Nova Scotia                 | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Nunavut                     | OEL STEL (mg/m <sup>3</sup> )        | 1.5 mg/m <sup>3</sup>  |
| Nunavut                     | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Northwest Territories       | OEL STEL (mg/m <sup>3</sup> )        | 1.5 mg/m <sup>3</sup>  |
| Northwest Territories       | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Ontario                     | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Prince Edward Island        | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Québec                      | VEMP (mg/m <sup>3</sup> )            | 0.5 mg/m <sup>3</sup>  |
| Saskatchewan                | OEL STEL (mg/m <sup>3</sup> )        | 1.5 mg/m <sup>3</sup>  |
| Saskatchewan                | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Yukon                       | OEL STEL (mg/m <sup>3</sup> )        | 0.75 mg/m <sup>3</sup> |
| Yukon                       | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| <b>Barium (7440-39-3)</b>   |                                      |                        |
| USA ACGIH                   | ACGIH TWA (mg/m <sup>3</sup> )       | 0.5 mg/m <sup>3</sup>  |
| Alberta                     | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| British Columbia            | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Manitoba                    | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| New Brunswick               | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Newfoundland & Labrador     | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Nova Scotia                 | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Ontario                     | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Prince Edward Island        | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| Saskatchewan                | OEL STEL (mg/m <sup>3</sup> )        | 1.5 mg/m <sup>3</sup>  |
| Saskatchewan                | OEL TWA (mg/m <sup>3</sup> )         | 0.5 mg/m <sup>3</sup>  |
| <b>Lead (7439-92-1)</b>     |                                      |                        |
| Mexico                      | OEL TWA (mg/m <sup>3</sup> )         | 0.15 mg/m <sup>3</sup> |
| USA ACGIH                   | ACGIH TWA (mg/m <sup>3</sup> )       | 0.05 mg/m <sup>3</sup> |
| USA OSHA                    | OSHA PEL (TWA) (mg/m <sup>3</sup> )  | 50 µg/m <sup>3</sup>   |

# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                         |                                      |   |
|-------------------------|--------------------------------------|---|
| USA NIOSH               | NIOSH REL (TWA) (mg/m <sup>3</sup> ) | 0.050 mg/m <sup>3</sup>   |
| USA IDLH                | US IDLH (mg/m <sup>3</sup> )         | 100 mg/m <sup>3</sup>   |
| Alberta                 | OEL TWA (mg/m <sup>3</sup> )         | 0.05 mg/m <sup>3</sup>  |
| British Columbia        | OEL TWA (mg/m <sup>3</sup> )         | 0.05 mg/m <sup>3</sup>  |
| Manitoba                | OEL TWA (mg/m <sup>3</sup> )         | 0.05 mg/m <sup>3</sup>  |
| New Brunswick           | OEL TWA (mg/m <sup>3</sup> )         | 0.05 mg/m <sup>3</sup>  |
| Newfoundland & Labrador | OEL TWA (mg/m <sup>3</sup> )         | 0.05 mg/m <sup>3</sup>  |
| Nova Scotia             | OEL TWA (mg/m <sup>3</sup> )         | 0.05 mg/m <sup>3</sup>  |
| Nunavut                 | OEL STEL (mg/m <sup>3</sup> )        | 0.45 mg/m <sup>3</sup>  |
| Nunavut                 | OEL TWA (mg/m <sup>3</sup> )         | 0.15 mg/m <sup>3</sup>  |
| Northwest Territories   | OEL STEL (mg/m <sup>3</sup> )        | 0.45 mg/m <sup>3</sup>  |
| Northwest Territories   | OEL TWA (mg/m <sup>3</sup> )         | 0.15 mg/m <sup>3</sup>  |
| Ontario                 | OEL TWA (mg/m <sup>3</sup> )         | 0.05 mg/m <sup>3</sup> (applies to workplaces to which the designated substances regulation does not apply) |
| Prince Edward Island    | OEL TWA (mg/m <sup>3</sup> )         | 0.05 mg/m <sup>3</sup>  |
| Québec                  | VEMP (mg/m <sup>3</sup> )            | 0.05 mg/m <sup>3</sup>  |
| Saskatchewan            | OEL STEL (mg/m <sup>3</sup> )        | 0.15 mg/m <sup>3</sup>  |
| Saskatchewan            | OEL TWA (mg/m <sup>3</sup> )         | 0.05 mg/m <sup>3</sup>  |
| Yukon                   | OEL STEL (mg/m <sup>3</sup> )        | 0.45 mg/m <sup>3</sup>  |
| Yukon                   | OEL TWA (mg/m <sup>3</sup> )         | 0.15 mg/m <sup>3</sup>  |

### Nickel (7440-02-0)

|                         |                                      |                         |
|-------------------------|--------------------------------------|-------------------------|
| Mexico                  | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>     |
| USA ACGIH               | ACGIH TWA (mg/m <sup>3</sup> )       | 1.5 mg/m <sup>3</sup>   |
| USA OSHA                | OSHA PEL (TWA) (mg/m <sup>3</sup> )  | 1 mg/m <sup>3</sup>     |
| USA NIOSH               | NIOSH REL (TWA) (mg/m <sup>3</sup> ) | 0.015 mg/m <sup>3</sup> |
| USA IDLH                | US IDLH (mg/m <sup>3</sup> )         | 10 mg/m <sup>3</sup>    |
| Alberta                 | OEL TWA (mg/m <sup>3</sup> )         | 1.5 mg/m <sup>3</sup>   |
| British Columbia        | OEL TWA (mg/m <sup>3</sup> )         | 0.05 mg/m <sup>3</sup>  |
| Manitoba                | OEL TWA (mg/m <sup>3</sup> )         | 1.5 mg/m <sup>3</sup>   |
| New Brunswick           | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>     |
| Newfoundland & Labrador | OEL TWA (mg/m <sup>3</sup> )         | 1.5 mg/m <sup>3</sup>   |
| Nova Scotia             | OEL TWA (mg/m <sup>3</sup> )         | 1.5 mg/m <sup>3</sup>   |
| Nunavut                 | OEL STEL (mg/m <sup>3</sup> )        | 2 mg/m <sup>3</sup>     |
| Nunavut                 | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>     |
| Northwest Territories   | OEL STEL (mg/m <sup>3</sup> )        | 2 mg/m <sup>3</sup>     |
| Northwest Territories   | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>     |
| Ontario                 | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>     |
| Prince Edward Island    | OEL TWA (mg/m <sup>3</sup> )         | 1.5 mg/m <sup>3</sup>   |
| Québec                  | VEMP (mg/m <sup>3</sup> )            | 1 mg/m <sup>3</sup>     |
| Saskatchewan            | OEL STEL (mg/m <sup>3</sup> )        | 3 mg/m <sup>3</sup>     |
| Saskatchewan            | OEL TWA (mg/m <sup>3</sup> )         | 1.5 mg/m <sup>3</sup>   |
| Yukon                   | OEL STEL (mg/m <sup>3</sup> )        | 3 mg/m <sup>3</sup>     |
| Yukon                   | OEL TWA (mg/m <sup>3</sup> )         | 1 mg/m <sup>3</sup>     |

### Barium (7440-39-3)

|                         |                                |                       |
|-------------------------|--------------------------------|-----------------------|
| USA ACGIH               | ACGIH TWA (mg/m <sup>3</sup> ) | 0.5 mg/m <sup>3</sup> |
| Alberta                 | OEL TWA (mg/m <sup>3</sup> )   | 0.5 mg/m <sup>3</sup> |
| British Columbia        | OEL TWA (mg/m <sup>3</sup> )   | 0.5 mg/m <sup>3</sup> |
| Manitoba                | OEL TWA (mg/m <sup>3</sup> )   | 0.5 mg/m <sup>3</sup> |
| New Brunswick           | OEL TWA (mg/m <sup>3</sup> )   | 0.5 mg/m <sup>3</sup> |
| Newfoundland & Labrador | OEL TWA (mg/m <sup>3</sup> )   | 0.5 mg/m <sup>3</sup> |
| Nova Scotia             | OEL TWA (mg/m <sup>3</sup> )   | 0.5 mg/m <sup>3</sup> |

# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                      |                               |                       |
|----------------------|-------------------------------|-----------------------|
| Ontario              | OEL TWA (mg/m <sup>3</sup> )  | 0.5 mg/m <sup>3</sup> |
| Prince Edward Island | OEL TWA (mg/m <sup>3</sup> )  | 0.5 mg/m <sup>3</sup> |
| Saskatchewan         | OEL STEL (mg/m <sup>3</sup> ) | 1.5 mg/m <sup>3</sup> |
| Saskatchewan         | OEL TWA (mg/m <sup>3</sup> )  | 0.5 mg/m <sup>3</sup> |

### Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Gloves. Protective goggles. Protective clothing.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or safety glasses.

**Skin and Body Protection:** Wash contaminated clothing before reuse.

**Respiratory Protection:** Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

**Environmental Exposure Controls:** Do not allow the product to be released into the environment.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

|   |                                  |
|---|----------------------------------|
| Physical State                                    | : Solid                          |
| Appearance  | : Nickel plated or brass cup.    |
| Odor  | : Not available                  |
| Odor Threshold                                    | : Not available                  |
| pH  | : Not available                  |
| Evaporation Rate                                  | : Not available                  |
| Melting Point                                     | : Not available                  |
| Freezing Point                                    | : Not available                  |
| Boiling Point                                     | : Not available                  |
| Flash Point                                       | : Not available                  |
| Auto-ignition Temperature                         | : Not available                  |
| Decomposition Temperature                         | : Not available                  |
| Flammability (solid, gas)                         | : Not available                  |
| Lower Flammable Limit                             | : Not available                  |
| Upper Flammable Limit                             | : Not available                  |
| Vapor Pressure                                    | : Not available                  |
| Relative Vapor Density at 20 °C                   | : Not available                  |
| Relative Density                                  | : Not available                  |
| Specific Gravity                                  | : Not available                  |
| Solubility  | : Not available                  |
| Partition coefficient: n-octanol/water            | : Not available                  |
| Viscosity   | : Not available                  |
| Explosive properties                              | : Fire or projection hazard      |
| Explosion Data – Sensitivity to Mechanical Impact | : Sensitive to mechanical impact |
| Explosion Data – Sensitivity to Static Discharge  | : Not sensitive                  |

# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** May detonate with friction, impact, and heat. WILL PROPAGATE OUTSIDE OF ORIGINAL PACKAGING.

**Chemical Stability:** Risk of explosion by shock, friction, fire or other sources of ignition.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Heat. Sparks. Open flame. Overheating. Extremely high or low temperatures. Direct sunlight.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.

**Hazardous Decomposition Products:** None known.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

**Acute Toxicity:** Fatal if swallowed. Fatal if inhaled.

**LD50 and LC50 Data:**

| Centerfire Primers & Musket Caps - Lewiston |                         |
|---|-------------------------|
| ATE US (oral)                               | 5.00 mg/kg body weight  |
| ATE US (dermal)                             | 50.00 mg/kg body weight |
| ATE US (dust, mist)                         | 0.05 mg/l/4h            |

**Skin Corrosion/Irritation:** Not classified

**Serious Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Teratogenicity:** Not available

**Carcinogenicity:** The National Toxicology Program (NTP) considers lead compounds reasonably anticipated to be a human carcinogen.

**Specific Target Organ Toxicity (Repeated Exposure):** May cause damage to organs through prolonged or repeated exposure.

**Reproductive Toxicity:** May damage fertility or the unborn child.

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Fatal if inhaled.

**Symptoms/Injuries After Skin Contact:** May cause skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause eye irritation.

**Symptoms/Injuries After Ingestion:** Fatal if swallowed.

**Chronic Symptoms:** May damage fertility. May cause cancer. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.

#### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

| Barium (7440-39-3)                                       |  |
|--|--|
| LD50 Oral Rat  | 132 mg/kg                                      |
| 1,3-Benzenediol, 2,4,6-trinitro-, lead salt (15245-44-0) |  |
| ATE US (oral)  | 500.00 mg/kg body weight                       |
| ATE US (dust, mist)                                      | 1.50 mg/l/4h                                   |
| Nickel (7440-02-0)                                       |  |
| LD50 Oral Rat  | > 9000 mg/kg                                   |
| Antimony (7440-36-0)                                     |  |
| LD50 Oral Rat  | 100 mg/kg                                      |
| Nickel (7440-02-0)                                       |  |
| IARC Group   | 2B   |
| National Toxicity Program (NTP) Status                   | Reasonably anticipated to be Human Carcinogen. |
| Lead (7439-92-1)   |  |
| IARC Group   | 2A   |
| National Toxicity Program (NTP) Status                   | Reasonably anticipated to be Human Carcinogen. |



# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 12: ECOLOGICAL INFORMATION

#### Toxicity

**Ecology - General:** The ecotoxicological information applies to the materials encased within the product..

| <b>Zinc (7440-66-6)</b>        |  |
|--------------------------------|--|
| LC50 Fish 1                    | 2.16 - 3.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])           |
| EC50 Daphnia 1                 | 0.139 - 0.908 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])                     |
| LC 50 Fish 2                   | 0.211 - 0.269 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])          |
| <b>Copper (7440-50-8)</b>      |  |
| LC50 Fish 1                    | 0.0068 - 0.0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)                      |
| EC50 Daphnia 1                 | 0.03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])                              |
| EC50 Other Aquatic Organisms 1 | 0.0426 - 0.0535 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata [static]) |
| LC 50 Fish 2                   | 0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])                         |
| EC50 Other Aquatic Organisms 2 | 0.031 - 0.054 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])   |
| <b>Lead (7439-92-1)</b>        |  |
| LC50 Fish 1                    | 0.44 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])                       |
| EC50 Daphnia 1                 | 600 µg/l (Exposure time: 48 h - Species: water flea)   |
| LC 50 Fish 2                   | 1.17 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])                  |
| <b>Nickel (7440-02-0)</b>      |  |
| LC50 Fish 1                    | 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)                                    |
| EC50 Daphnia 1                 | 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)  |
| LC 50 Fish 2                   | 1.3 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])                        |
| EC50 Daphnia 2                 | 1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])                                 |
| EC50 Other Aquatic Organisms 2 | 0.174 - 0.311 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])   |

#### Persistence and Degradability

| <b>Centerfire Primers &amp; Musket Caps – Lewiston</b> |  |
|--|--|
| Persistence and Degradability                          | Not established. May cause long-term adverse effects in the environment. |
| <b>Copper (7440-50-8)</b>                              |  |
| Persistence and Degradability                          | Not readily biodegradable.   |

#### Bioaccumulative Potential

| <b>Centerfire Primers &amp; Musket Caps – Lewiston</b> |                  |
|--|------------------|
| Bioaccumulative Potential                              | Not established. |

**Mobility in Soil** Not available

#### Other Adverse Effects

**Other Information:** Avoid release to the environment.

### SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations. **DO NOT CONSOLIDATE PRIMERS OUTSIDE OF FACTORY PACKAGING.**

**Ecology – Waste Materials:** Avoid release to the environment.

### SECTION 14: TRANSPORT INFORMATION

#### 14.1 In Accordance with DOT

The environmentally hazardous substance mark is not required when transported in sizes of .5 L or ≤5 kg.

|                       |                     |
|-----------------------|---------------------|
| Proper Shipping Name  | : PRIMERS, CAP TYPE |
| Hazard Class          | : 1.4S              |
| Identification Number | : UN0044            |
| Label Codes           | : 1.4S              |
| Packing Group         | : II                |
| ERG Number            | : 114               |



#### 14.2 In Accordance with IMDG

# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Proper Shipping Name** : PRIMERS, CAP TYPE  
**Hazard Class** : 1  
**Identification Number** : UN0044  
**Label Codes** : 1.4S  
**EmS-No. (Fire)** : F-B  
**EmS-No. (Spillage)** : S-X  
**MFAG Number** : 114



### 14.3 In Accordance with IATA

**Proper Shipping Name** : Check with air carrier prior to shipment via air.  
**Identification Number** :  
**Hazard Class** :  
**Label Codes** :  
**ERG Code (IATA)** :

### 14.4 In Accordance with TDG

**Proper Shipping Name** : PRIMERS, CAP TYPE  
**Packing Group** : II  
**Hazard Class** : 1.4S  
**Identification Number** : UN0044  
**Label Codes** : 1.4S



## SECTION 15: REGULATORY INFORMATION

### US Federal Regulations

| Centerfire Primers & Musket Caps – Lewiston  |   |
|--|---|
| <b>SARA Section 311/312 Hazard Classes</b>   | Immediate (acute) health hazard<br>Delayed (chronic) health hazard<br>Sudden release of pressure hazard |
| <b>Zinc (7440-66-6)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Listed on United States SARA Section 313                      |   |
| <b>SARA Section 313 - Emission Reporting</b>   | 1.0 % (dust or fume only)   |
| <b>Nickel (7440-02-0)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Listed on SARA Section 313 (Specific toxic chemical listings) |   |
| <b>RQ (Reportable Quantity, Section 304 of EPA's List of Lists):</b>   | 100 lb (only applicable if particles are < 100 µm)  |
| <b>SARA Section 313 - Emission Reporting</b>   | 0.1 %   |
| <b>Aluminum (7429-90-5)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Listed on SARA Section 313 (Specific toxic chemical listings) |   |
| <b>SARA Section 313 - Emission Reporting</b>   | 1.0 % (dust or fume only)   |
| <b>1-Tetrazene-1-carboximidic acid, 4-(aminoiminomethyl)-, 2-nitrosohydrazide (109-27-3)</b>   |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory  |   |
| <b>Antimony (7440-36-0)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Listed on SARA Section 313 (Specific toxic chemical listings) |   |
| <b>SARA Section 313 - Emission Reporting</b>   | 1.0 %   |
| <b>1,3-Benzenediol, 2,4,6-trinitro-, lead salt (15245-44-0)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory  |   |
| <b>Lead (7439-92-1)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Listed on SARA Section 313 (Specific toxic chemical listings) |   |
| <b>SARA Section 313 - Emission Reporting</b>   | 0.1 %   |

# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |  |
|--|--|
| <b>Copper (7440-50-8)</b>  |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Listed on United States SARA Section 313  |  |
| <b>SARA Section 313 - Emission Reporting</b>   | 1.0 %  |
| <b>Barium (7440-39-3)</b>  |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Listed on United States SARA Section 313  |  |
| <b>SARA Section 313 - Emission Reporting</b>   | 1.0 %  |
| <b>US State Regulations</b>  |  |
| <b>Nickel (7440-02-0)</b>  |  |
| <b>U.S. - California - Proposition 65 - Carcinogens List</b>   | WARNING: This product contains chemicals known to the State of California to cause cancer.                     |
| <b>Lead (7439-92-1)</b>  |  |
| <b>U.S. - California - Proposition 65 - Carcinogens List</b>   | WARNING: This product contains chemicals known to the State of California to cause cancer.                     |
| <b>U.S. - California - Proposition 65 - Developmental Toxicity</b>   | WARNING: This product contains chemicals known to the State of California to cause birth defects.              |
| <b>U.S. - California - Proposition 65 - Reproductive Toxicity - Female</b>   | WARNING: This product contains chemicals known to the State of California to cause (Female) reproductive harm. |
| <b>U.S. - California - Proposition 65 - Reproductive Toxicity - Male</b>   | WARNING: This product contains chemicals known to the State of California to cause (Male) reproductive harm.   |
| <b>Lead (7439-92-1)</b>  |  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List   |  |
| <b>Nickel (7440-02-0)</b>  |  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances<br>U.S. - Pennsylvania - RTK (Right to Know) List |  |
| <b>Antimony (7440-36-0)</b>  |  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List   |  |
| <b>Aluminum (7429-90-5)</b>  |  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List   |  |
| <b>Zinc (7440-66-6)</b>  |  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List   |  |
| <b>Copper (7440-50-8)</b>  |  |
| U.S. - Massachusetts - Right To Know List  |  |

# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
U.S. - Pennsylvania - RTK (Right to Know) List


### Barium (7440-39-3)

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
U.S. - Pennsylvania - RTK (Right to Know) List

### Canadian Regulations

#### Centerfire Primers & Musket Caps – Lewiston

|                      |   |
|----------------------|---|
| WHMIS Classification | Class B Division 6 - Reactive Flammable Material<br>Class B Division 4 - Flammable Solid<br>Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects<br>Class D Division 2 Subdivision A - Very toxic material causing other toxic effects<br>Class D Division 2 Subdivision B - Toxic material causing other toxic effects<br>Class F - Dangerously Reactive Material<br><b>Note: Explosives are not regulated under WHMIS. They are subject to the regulations of the Explosives Act of Canada.</b> |
|----------------------|---|



### Zinc (7440-66-6)

Listed on the Canadian DSL (Domestic Substances List)

|                      |   |
|----------------------|---|
| WHMIS Classification | Uncontrolled product according to WHMIS classification criteria |
|----------------------|---|

### Nickel (7440-02-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

IDL Concentration 0.1 %

|                      |   |
|----------------------|---|
| WHMIS Classification | Class D Division 2 Subdivision A - Very toxic material causing other toxic effects<br>Class D Division 2 Subdivision B - Toxic material causing other toxic effects |
|----------------------|---|

### Lead (7439-92-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

IDL Concentration 0.1 %

|                      |  |
|----------------------|--|
| WHMIS Classification | Class D Division 2 Subdivision A - Very toxic material causing other toxic effects |
|----------------------|--|

### 1,3-Benzenediol, 2,4,6-trinitro-, lead salt (15245-44-0)

Listed on Non-Domestic Substances List (NDSL)

### Aluminum (7429-90-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

IDL Concentration 1 %

|                      |  |
|----------------------|--|
| WHMIS Classification | Class B Division 6 - Reactive Flammable Material<br>Class B Division 4 - Flammable Solid |
|----------------------|--|

### Antimony (7440-36-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

IDL Concentration 1 %

|                      |   |
|----------------------|---|
| WHMIS Classification | Uncontrolled product according to WHMIS classification criteria |
|----------------------|---|

# Centerfire Primers & Musket Caps – Lewiston

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |   |
|--|---|
| <b>1-Tetrazene-1-carboximidic acid, 4-(aminoiminomethyl)-, 2-nitrosohydrazide (109-27-3)</b> |   |
| Listed on Non-Domestic Substances List (NDSL)  |   |
| <b>Copper (7440-50-8)</b>  |   |
| Listed on the Canadian DSL (Domestic Substances List)  |   |
| Listed on the Canadian IDL (Ingredient Disclosure List)                                      |   |
| IDL Concentration 1 %  |   |
| WHMIS Classification   | Uncontrolled product according to WHMIS classification criteria   |
| <b>Barium (7440-39-3)</b>  |   |
| Listed on the Canadian DSL (Domestic Substances List)  |   |
| WHMIS Classification   | Class B Division 6 - Reactive Flammable Material<br>Class D Division 2 Subdivision B - Toxic material causing other toxic effects |

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

- Revision date** : 11/30/2020
- Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.
- Alt. product labeling** : This product may also additionally contain the following label provided in accordance with various State, Federal, and International regulations.



**WARNING:** Fire or projection hazard. Keep away from heat – no smoking. Do not subject to shock. Wear eye protection. Fight fire with normal precautions from a reasonable distance. Store and dispose of in accordance with local, national and international regulations.

#### Party Responsible for the Preparation of This Document

Federal Cartridge Company  
900 Ehlen Drive  
Anoka, MN 55303  
1-800-635-7656

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

North America GHS US 2012 & WHMIS 2